

INVERTER CORE 160S

Ref. 10217

 **SOLTER**


- **160Amp Inverter** at 60%.
- Equipped with **carrying case** and **welding accessories**.
- Valid for **generator**.
- **TIG** by scraping.

Main features:

The **CORE** models are **Inverter** equipment for welding with covered electrodes and TIG, which apply the new **Nanocrystalline** technology, achieving an unbeatable weight-performance ratio. All this, at an extremely competitive price.

- New **Nanocrystalline** technology: smaller, more powerful and lighter.
- Ease of use thanks to **Inverter** technology supplying direct current **DC**.
- Minimum consumption due to its high energy efficiency.
- Connectable to **generators** with a wide range of voltages of use.
- Equipped with **Arc-Force** and **Hot-Start** devices.
- Possibility of **TIG** welding.

INVERTER CORE 160S

Ref. 10217



TECHNICAL DATA

Generals	
Regulation	20A - 160A
Intensity MAX.	160A
Duty Cycle at 40°C	35%
Intensity at 60%(100%) a 40°C	130A (115A)

Technical	
Usable electrodes MMA	1,6mm - 3,25mm
Usable electrodes TIG	1,0 - 2,4mm

Structural	
Regulation board	SOLTER
Ventilation	FORCED
Standards	EN-60974-1, EN-60974-10
Protection index	IP21S
Weight	2.8 Kg
Dimensions	250x120x195mm

Electrical	
Supply Voltage	230V-1ph
Voltage range	190 - 265V
Fuse	16 A
Imax	30A
Ieff	17,7A
Absorbed power max.	6,9Kva
OCV	50 V

OPTIONAL ACCESSORIES

Ref. 06024

TORCH 4M TIG SR-17V D10/25



Ref. 56246

GAS REGULATOR R25 AR/CO2

